January 13, 1981

Mr. James F. Sims U. S. Geological Survey P. O. Box 959 Farmington, New Mexico 87401

Dear Mr. Sims:

Superior Oil plans to drill MCU #R-12, an infill development well in <u>Section 33, T40S, R25E</u>, San Juan County, Utah. The surface location of this well, subject to local topography, is 700' FSL and 700' FWL of Section 33.

We are aware of the fifteen day waiting period prior to actual staking. Thank you for your cooperation.

Sincerely,

· ". GAS & "....WNG

SUPERIOR OIL

Ofenry & Henry Haven

Production Geologist

HH/1h

cc: State of Utah

March 9, 1981

Mr. Jim Sims United States Geological Survey P. O. Box 959 Farmington, New Mexico 87401

> Re: MCU #R-12 - Infill Development 691.85' FSL, 339.35' FWL Section 33, T41S, R25E San Juan County, Utah

Dear Mr. Sims:

The "Surface Use Development Plan" for the proposed McElmo Creek Unit Well #R-12 is as follows:

- 1. The existing roads and the location of the off road exits are shown on the attached road and pipeline plat.
- 2. The 200' of new access road that will be necessary is shown on the attached plat. No major cuts or fills will be required. The existing road will require improvements to provide a 20' wide travel surface.
- 3. The location and status of wells in the vicinity are shown on the attached road and pipeline plat.
- 4. The location of any production facilities, flow lines and lateral roads in the vicinity of the proposed well are shown on the attached plat. The 2" flow line, from the proposed well will run 2900' west to an existing tank battery, the area of the tank battery being approximately 100' X 300' where to oil, gas and water will be separated. If the new production facilities are required, a detailed building plan will be submitted for approval.
- 5. Water for drilling operations will be obtained from the San Juan River.
- Materials necessary for the construction and drilling pad will be obtained from the location. No access roads for the purpose of hauling materials will be necessary.

SUPERIOR OF

- 7. Waste materials will be collected in earth pits 6-8' deep with steep sides. The perimeter of these pits will be completely enclosed with small mesh wire. When drilling operations are complete these earth pits will be backfilled and leveled to the contour of the original landscape. Small portable trailer houses for the company and contract drilling personnel may be on the location. A sufficient number of OSHA approved chemical toilets will be provided and maintained.
- The location and position of drilling equipment is shown on the attached plat. The mud pits will be fenced on three sides during drilling and on four sides after completion of drilling operations. Included on this plat is a cross section diagram showing cuts and fills necessary for the construction of the drilling pad. The drilling pad will be located approximately at ground level. Materials at the location will be used for elevation of the pad.
- Surface land is owned by the Navajo Indian Tribe and is used primarily for grazing. Vegetation consists of sparse grass and sagebrush. There are no Indian habitations or artifacts in the immediate vicinity of the proposed drillsite, access road, flow line, construction and material site or road used in transportation of material.

Very truly yours,

SUPERIOR OIL COMPANY

Henry W. Haven


Henry W. Haven


Production Geologist


I hereby certify that I, or persons under my direct supervision, have inspected the proposed area; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that he work associated with the operations proposed herein will be performed by SUPERIOR OIL and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Area Production Superintendent

HWH/1h







March 9, 1981

Mr. Mike Minder Geological Engineer Division of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

> Re: MCU #R-12 - Infill Development 691.85' FSL, 339.35' FWL Section 33, T40S, R25E San Juan County, Utah

Dear Mr. Minder:

Enclosed is Superior Oil's Application for Permit to Drill for the above referenced well. This well is staked on a 40 acre spacing to recover oil bypassed in the original flood pattern. This well is part of the overall CO₂ enhanced recovery program at McElmo Creek.

Your cooperation in this matter is appreciated.

Very truly yours,

SUPERIOR OIL COMPANY

Charles L. Hill

Area Production Superintendent

HWH/1h


Form approved. Budget Bureau No. 42-R1425.

DEPARTMENT OF THE INTERIOR

(Other instruction reverse side)

DEPART	5. L	EASE DESIGNATION AND SERIAL NO.			
		14-20-603-2057			
APPLICATION FOR PER		EN, OR PLUG BA	4CK 6. 1	F INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO	
In. TYPE OF WORK		PLUG BACI		INIT AGREEMENT NAME	
DRILL 🕅	DEEPEN 🗌	PEUG BAG	· 15.		
OIL (7) GAS	· · · · · · · · · · · · · · · · · · ·	SINGLE XX MULTIPLE	8. 1	ARM OR LEASE NAME	
2. NAME OF OPERATOR	THER	,		McELMO CREEK UNIT	
SUPERIOR OIL COMPAN'	(9. \	WELL NO.	
3. ADDRESS OF OPERATOR			10	#R-12 FIELD AND POOL, OR WILDCAT	-
P. O. DRAWER 'G', C	ORTEZ, COLORADO 8132	Gt. t			
4. LOCATION OF WELL (Report location c. At surface		State requirements.	11.	GREATER ANETH	-
691.85' FSL, 339.35 At proposed prod. zone Same as surface	' FWL of Sec. 33 Si	USW		SEC. 33, T40S, R25E.	SLM
14. DISTANCE IN MILES AND DIRECTION	FROM NEAREST TOWN OR POST OFF	CE*	12.	COUNTY OR PARISH 13. STATE	
2.0 miles North of	Aneth, Utah	1		SAN JUAN UTAH	-
15 DISTANCE FROM PROPOSED*	16.	NO. OF ACRES IN LEASE	17. NO. OF AC TO THIS V	res assigned.	
LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if a	339'	1840	<u>5-</u>		_
18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLEOR APPLIED FOR, ON THIS LEASE, FT.	19.	5830'	Rota	<u> </u>	_
21. ELEVATIONS (Show whether DF, RT, G	R, etc.)	1. Will Darie	\mathcal{M}_{i}	2. APPROX. DATE WORK WILL START*	
4823.08' Ungraded Gr		N. K.		May 20, 1981	_
23.	PROPOSED CASING A	ND CEMENTING PROGRA	M / 12 / 1		_
SIZE OF HOLE SIZE OF C	ASING WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT	
17-1/2" New 13-3		100'	Redim	nix to surface	_
12-1/4" New 8-5/		1850'	1300	SX	_
7-7/8" New 5-1/		5830'	_ 250 s	x -	
to surface with Rediment to surface with Redimental Drill 12-1/4" hole to to surface with 1300 Drill 7-7/8" hole to Log well with GR/CNL/Stimulate as necessar	nix. 1850' and set 1850 sx Class 'B' cement base of Desert Creel 'FDC. Complete in Is	of new 8-5/8" 2 NU BOP	24#/ft K-5 onate mud, ot Creek b	55 ST&C casing. Cement	t on.
		9	۲. دیکنی	neopored new productiv	re
IN ABOVE SPACE DESCRIBE PROPOSED PRO zone. If proposal is to drill or deeper preventer program, if any.	ogram: If proposal is to deepen of directionally, give pertinent date	or plug back, give data on p a on subsurface locations a	nd measured ar	d true vertical depths. Give blower	nt
signed H. W. Haven	twen TITLE	Production Geolog	gist	3-9-81	<u></u> -
(This space for Federal or State o	ffice use)		ί, <u></u> .		
PERMIT NO.		APPROVAL DATE			_
				DATE	
APPROVED BY	TITLE.		Pog Grou	- n Central File - H.W	L.C

RIG + 6 - USGS, State - 2, Navajo Tribe, WIO, Drilling Depart. Reg Group, Central File



SUPPLEMENT TO FORM 9-331-C

WELL: MCU #R-12

ELEVATION: 4823.08'

SURFACE WHERE DRILLING IS TO TAKE PLACE: Dakota

ESTIMATED FORMATION TOPS: (Measured from ground level at 4823.08'

Chinle 1568'
DeChelly 2596'
Ismay 5469'
Lower Ismay 5555'
Desert Creek 5608'
Chimney Rock 5813'
TD 5830'

WATER BEARING FORMATION:

Water is expected to be encountered intermittently from

400' to 1350'.

HYDROCARBON BEARING FORMATION: Oil and gas are expected to be encountered intermittently

from 5555-5813'.

MUD PROGRAM:

Surface to 100' - fresh water with gel.

100' - 3200' - fresh water.

3200' - 5830' - lignosulfonate or similar mud system. Water

loss controlled to 15 cc or less and weighted

with Barite as necessary.

CASING PROGRAM:

Conductor - 13-3/8" 54.5#/ft H-40 ST&C new casing set to 100'.

Surface - 8-5/8" 24#/ft K-55 ST&C new casing set to 1850'.

Production - 5-1/2" 15.5#/ft K-55 ST&C new casing set to 5830'.

CEMENT PROGRAM:

Conductor - Cement to surface with Redimix.

Surface - Cement to surface with 1300 sx Class 'B'.

Production - Cement with 250 sx Class 'B'.

LOGGING PROGRAM:

GR/CNL/FDC - 5830' to 3830'.

DRILL STEM TESTS:

None.


PRESSURE CONTROLS:

Blowout preventer equipment will be 10" Series 600 with blind rams and drill pipe rams hydraulically and manually controlled. The blind rams will be tested on each trip and the pipe rams will be tested daily. The schematic of the pressure control equipment can be seen on the attached diagram.


The mud system will be monitored by visual inspection.

ANTICIPATED STARTING DATE: May 20, 1981 for 28 days.

HWH/1h



PROPOSED WELL SITE MCU R-12 Original Elev. 4823.08




Original Contour

Reference Point

Graded Proposal

THE SUPERIOR OIL CO.
CORTEZ CASPER DISTRICT
ENGINEERING DEPARTMENT
RIG LAYOUT & DRILL
PAD CROSS SECTION
MCELMO CREEK UNIT
Well No. R-12
BY JEG
SCALE 1" = 50' DATE 6/26/79
REVISED



March 9, 1981



Mr. Mike Minder Geological Engineer Division of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

Re: MCU #R-12 - Infill Development 691.85' FSL, 339.35' FWL

Section 33, T40S, R25E San Juan County, Utah

Dear Mr. Minder:

Superior Oil Company controls all oil and gas mineral rights within a 660' radius of the referenced well. Superior Oil is designated as operator of McElmo Creek Unit in San Juan County, Utah.

Very truly yours,

SUPERIOR OIL COMPANY

Charles L. Hill

Area Production Superintendent

HWH/1h

** FILE NOTATIONS **

DATE: March 23 1981	
OPERATOR: Superior Oil Co.	
WELL NO: MCU R-12	
Location: Sec. <u>33</u> T. <u>405</u>	R. 25E County: San Guan
File Prepared:	Entered on N.I.D:
Card Indexed:	Completion Sheet:
API Number_	43-037-30651
CHECKED BY:	
Petroleum Engineer: M.J. M.	Lunder 3-25-81
Director:	
Administrative Aide: In Maga	mo Creek Unit; ok on budrys for
APPROVAL LETTER:	
Bond Required:	Survey Plat Required:
Order No.	. O.K. Rule C-3
Rule C-3(c), Topographic Exception within a 660' radius	on - company owns or controls acreage of proposed site
Lease Designation [JM]	Plotted on Map
Approval Let	ter Written
Hot Line P.I.	7

March 26, 1981

Superior Oil Company P. O. Drawer''G' Cortez, Colorado 81321

Well No. McBlmo Creek Unit #R-12 Sec. 33, T. 408, R. 25E, SW SW San Juan County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Section 40-6-11, Utah Code Amortated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer

Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30651.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

M. J. Mules

Michael T. Minder

Petroleum Engineer

MTM/ko cc: USGS SCOTT M, MATHESON Governor

GORDON E, HARMSTON Executive Director. NATURAL RESOURCES

> CLEON B. FEIGHT Director



OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON Chairman

JOHN L. BELL C. RAY JUVELIN THADIS W. BOX MAXILIAN A. FARBMAN EDWARD T. BECK E. STEELE McINTYRE

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771

October 14, 1981

Superior Oil Company P. O. Drawer 'G' Cortez, CO 81321

Re: See Attached Sheet

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill this location at a later date, please notify this office.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

CLERK TYPIST

Well No. Alkali Canyon Unit 18-33 Sec. 18, T. 39S, R. 24E

San Juan County, Utah

Well No. MCU #R-12

Sec. 33, T. 40S, R. 25E

San Juan County, Utah

Well No. MCU #N-22

Sec. 17, T. 41S, R. 25E

San Juan County, Utah

Well No. McElmo Creek Unit #P-22

Sec. 17, T. 41S, R. 25E

San Juan County, Utah

Well No. Navajo Tribal #34-22

Sec. 34, T. 41S, R. 25E

San Juan County, Utah

Well No. Navajo Tribal #34-33

Sec. 34, T. 41S, R. 25E


San Juan Coonty, Utah

Well No. Yellow Rock Point #26-44

Sec. 26, T. 42S, R. 25E

San Juan County, Utah

November 16, 1981



DIVISION OF OIL, GAS & MINING

State of Utah Division of Oil, Gas & Mining 1588 West North Temple Salt Lake City, Utah 84116

Dear Sir:

In reference to your letter dated October 14, 1981, our drilling plans for the following wells are as follows:

Well	Intentions
Alkali Canyon #18-33	May drill - still being evaluated.
MCU #R-12	Will Drill.
MCU #N-22	Drilled & completed.
MCU #P-22	Drilled & completed.
Navajo Tribal #34-22	May drill - still being evaluted.
Navajo Tribal #34-33	Drilled - completing at present.
Yellow Rock Point #26-44	May drill - still being evaluted.

The necessary forms for the wells we are drilling or have completed have already been sent in or are on their way. You will be notified when we spud MCU #R-12.

Sincerely,

SUPERIOR OIL

T. Greg Merrion Petroleum Engineer

TGM/1h

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMP	ANY:s	uperior Oi	1	· .		
WELL NAME:	MCU #R-12			· {-		
SECTION SWSW	1 33 Townshi	P40S	RANGE	25E	COUNTY	San Juan
DRILLING CON	TRACTOR B	ayless				
RIG # 1						
SPUDDED: D	ATE 11-28-	81				
T	IME 3:00 A	<u>M</u>		•		
Н	OWRotary					
DRILLING WIL	L COMMENCE					
REPORTED BY_	James Gagn	eaux				
TELEPHONE #_	(303) 565-	4986	·			
DATE Dec	ember 1, 1981			SIGNED	DB	

5. LEASE

UNITED STATES DEPARTMENT OF THE INTERIOR

DEPARTMENT OF THE INTERIOR	14-20-603-2057
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
The state of the s	NAVAJO
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	McELMO CREEK UNIT
reservoir, use rorm 3-331-C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas uell other	9. WELL NO.
2. NAME OF OPERATOR	#R-12
SUPERIOR OIL COMPANY	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	GREATER ANETH
P.O. DRAWER "G", CORTEZ, COLORADO 81321	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	SEC. 33, T40S, R25E, SLM
AT SURFACE: 692' FSL, 339' FWL of Sec. 33	12. COUNTY OR PARISH 13. STATE
AT TOP PRODUCTION	SAN JUAN UTAH
AT TOTAL DEPTH: Same	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-037-30651
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	GL: -4823 KB: 4837.6
TEST WATER SHUT-OFF	Da Dally Elli
FRACTURE TREAT	
SHOOT OR ACIDIZE	IAN 05 1002
REPAIR WELL	(NOTE: Report resurts of multiple completion or zone
PULL OR ALTER CASING	change on Form 9-330.)
CHANGE ZONES	DIVISION OF
ABANDON*	OIL, GAS & MINING
(other)	_ ,
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	lirectionally drilled, give subsurface locations and
OTE: 13-3/8", 48#, H-40 conductor set at 94', and c	
B'.	temented to surface wy . FOO SX Class
1-28-81: Spudded 12-1/4" hole w/ Bayless Drilling R	
1-29-81: Drilled 12-1/4" hole to 1617'. Ran 8-5/8"	', 24#, surface casing and cemented
w/ 750 sx 65/35 pozmix plus 200 sx class '	B'w/2% CaCl. Pumped 100 sx class
'B' w/ 3% CaCl down annulus.	
2-17-81: Drilled 7-7/8" hole to 5830' (TD). Ran FD	0C-CNL from 5830' to 3826'.
2-18-81: Ran 5-1/2", 15.5# casing to 5830' and ceme	ented W/ 330 SX Class B.
rig + 5 - USGS, State - 2, Navajo Tribe, Reg. Group,	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
	NEED 19/10/91
SIGNED N. J. Blancet TITLE SR. PROD. ENGI	TALLY DATE //////
(This space for Federal or State off	fice use)
· · ·	
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE

ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCL from 5766 to TOC at 4680. 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791's a garage at 42's 44's, 46's 50's 52's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals of 28% HCL 30's 70's 72's 5774's Stimulated w/ 2500 gals 50's 72's 72's 72's 72's 72's 72's 72's 72	Orig + 5 -	USGS, State - 2,	Navajo Tri	be, Reg.	Group <u>.</u> Fi	les, Caro	1. Cross	
UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY SUNDRY NOTICES AND REPORTS ON WELLS (Go. mit use this form to proposals to delign or to despan or plug back to a different streeted. Use From 331-C for such proposals.) 1. oil xxx well other				_				11424
SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS Cho not use this form for proposals to delile or to despen or plux back to a different reservoir. Use from 9-331-cfor such proposals. SUNDRY NOTICES AND REPORTS ON WELLS Cho not use this form for proposals to delile or to despen or plux back to a different reservoir. Use from 9-331-cfor such proposals. SUNDRY NOTICES AND REPORTS ON WELLS Cho not use this form for proposals to delile or to despen or plux back to a different reservoir. Use from 9-331-cfor such proposals. SUNDRY NOTICES AND REPORTS ON WELLS CONDRESS OF OPERATOR P. O. DRAMER "6", CORTEZ, COLORADO 8132] 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 bellow.) AT SURFACE: 692 FSL, 339¹ FWL of Sec. 33. AT TOP ROPORINTERVAL Same AT TOTAL DEPTH: Same AT TOTAL DEPTH: Same	Dec. 1973	UNITED STATE	S	d g	5. LEASE	ڍ	6 6	57
SUNDRY NOTICES AND REPORTS ON WELLS CO not use this form for proposals to drill not of deepan or plug back to a different reservation be from 1992. Proposals to drill not of deepan or plug back to a different reservation be from 1993. Construction of the proposals of the propo	DE	PARTMENT OF THE	INTERIOR	Ć		-603-205 7	₩	<u>s</u>
SUNDRY NOTICES AND REPORTS ON WELLS County And All the form to proposals to driff or to detern or plug back to a different determination of the proposals of the detern or plug back to a different determination of the detern or plug back to a different determination of the detern or plug back to a different determination of the detern or plug back to a different determination of the detern or plug back to a different determination of the detern or plug back to a different determination of the determination o				,0°	6. IF INDIAN	, ALLOTTEE O		
CO. not use this form for proposed to a different with form to proposed to a different with the work). The proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the work of the proposed to a different with the proposed to a different with the work of the proposed to a different with the proposed to a different with the proposed t						<u>,</u>	- 0, W	-
(20. not use this form for proposals to drill or to despen or plug back to a different reservoir. Use Form 5-331-C for use proposals.) 1. oil 508 see 1 other 2. NAME OF OPERATOR 3. AT TOP PROD. INTERVAL Same AT TOTAL DEPTH. Same AT TOTAL D	SUNDRY N	OTICES AND REP	ORTS ON V	VELLS			E G SE	i z
1. oil will XN gas of other 2. NAME OF OPERATOR SUPERIOR OIL COMPANY 3. ADDRESS OF OPERATOR P. O. DRAWER "G", CORTEZ, COLORADO 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY See space 1) AT SUBFACE: 692' FSL, 339' FWL of Sec. 33 AT TOP PROD. INTERVALSAIME AT TOTAL DEPTH: Same AT TOTAL DEPTH:							11 E E E	<u> </u>
WELL NO. SET		331-6 for such proposalsly				LEASE NAME	ing of	<u> </u>
2. NAME OF OPERATOR SUPERIOR OIL COMPANY 3. ADDRESS OF OPERATOR P.O. DRAMER "G", CORTEZ, COLORADO 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below) AT SURFACE: 692' FSL, 339' FWL of Soc. 33. AT TOP PROD. INTERVAL Same AT TOTAL DEPTH: Same	1. oil XX g	as other		د ع				
SUPERIOR OIL COMPANY 3. ADDRESS OF OPERATOR P.O. DRAMER "G", CORTEZ, COLORADO 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below) AT SURFACE: SIL, 339 FWL of Sec. 33. AT TOP PROD. INTERVALSame AT TOP ROD. INTERVALSame AT TOTAL DEPTH: Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF PRACTURE TRAIT SHOOT OR ACIDIZE REPART WELL DILL OR ALTER CASING MULTIPLE COMPLETE DIL OR							eral ega	, D. 9.
P.O. DRAWER "G", CURTEZ, COLORADO 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below) AT SURFACE: 692 FSL, 339¹ FWL of Sec. 33 AT TOP PROD. INTERVAL Same AT TOP PROD. INTERVAL Same AT TOP ROD. INTERVAL Same AT TOP ROD. INTERVAL Same AT TOTAL DEPTH: Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF 15. ELEVATIONS (SHOW DF, KDE, AND WD) Col.: 4823 - 305 F R. 387 C. 8			<u>.</u>	rs.		WILDCAT NAM		
4. ACCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below) ARCA SEC. 33, 1405, R25E, SLM AT SURFACE: 692 FSL, 339 FWL of Sec. 33 AT TOP PROD. INTERVALSAME AT TOTAL DEFTH: Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 15. ELEVATIONS (SHOW OF, RDB, AND, WD) C. 14. API NO. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15			<u>0</u> .	* ; ;			± ₹.5	ino.
Deblow) AT SURFACE: 692' FSL, 339' FWL of Sec. 33. AT TOP PROD. INTERVALSAME AT TOTAL DEPTH: Same AT TOTAL DEPTH: Same AT TOTAL DEPTH: Same AT TOTAL DEPTH: Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF COMMENT OF SHOW DF, KDB, AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF COMMENT OF SHOW DF, KDB, AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF COMMENT OF SHOW DF, KDB, AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF COMMENT OF SHOW DF, KDB, AND WD) REPACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL MULTIPLE COMPLETE DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, and give perti	P.O.DRA	WER "G", CORTEZ,	COLORADO 8	1321	11. SEC., T.,	R., M., OR BLH		Y OR
AT TOP PROD. INTERVALSAME AT TOP ROD. INTERVALSAME AT TOP ROD. INTERVALSAME AT TOTAL DEPTH: Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 17. ELEVATIONS (SHOW Dr. KDB, AND WD) 18. ELEVATIONS (SHOW Dr. KDB, AND WD) 19. Cl. 482.3 ** KB: 4837.6. ** 18. ELEVATIONS (SHOW Dr. KDB, AND WD) 19. Cl. 482.3 ** KB: 4837.6. ** 19. COUNTY OF PÄRISH! 11. STATE SAN JUAN SAN J	4. LOCATION OF	WELL (REPORT LOCATIO	ON CLEARLY. See	space 17		20 TAOC	D2EE STA	-
AT TOP PROD. INTERVALSAME AT TOTAL DEPTH: Same AT TOTAL DEPTH: Same AT APPROVAL TO: AT A		6921 FSL 3391 I	FWL of Sec.	33				<u>'1</u>
AT TOTAL DEPTH; Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 17. REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 18. THE WATER SHUT-OFF	AT TOP PROD			-	SAN JU	JAN - WE	J. STATE	<u>.</u>
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) SHOW DELTA CASING SHOW DF, KDB, AND WD, AND W	AT TOTAL DEF	тн: Same	5	<u>ر</u> -	TA ADI NO	= <u>i</u>		<u>0</u>
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) TEST WATER SHUT-OFF SHOOT OR ACIDIZE SHOW DELTA CASING SHOW DF, KDB, AND WD) SHOW DELTA CASING SHOW DF, KDB, AND WD, AND W	16. CHECK APPRO	PRIATE BOX TO INDIC	ATE NATURE OF		ਹੋਵਿੱ 43-03 ;	7-30651	by Span	ਰ
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: Report results of multiple completion of zone of the property of the property of zone o			U	\tilde{c}_{i} .	15. ELEVATIO	NS (SHOW D		
TEST WATER SHUT-OFF FRACTURE TREAT				· Ci	GL: 48	32 3 ≟ č † KB :	: 4837.6 ³	D N
REPAIR WELL Date D	=		· .		<u> </u>	ठ <u>५ इ</u> स्	pe Fe Fe Fe	 D001
REPAIR WELL Date D			H ₹	0 =		top men mo Ita	14 P	.
### MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCCIntage and at 4680 . 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791 . Stimulated w/ 2500 galss of 28% HGL/CBL/CBL/CBL/CBL/CBL/CBL/CBL/CBL/CBL/CB		E 🗍	XX = 3	25.	104 N.E.	oli io	10 d	ă B
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCLing of the starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791 with a start of the start of t	- -	NO D	<u> </u>	ت ۱	(NOTE: Report	results of multip	ple completion o	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCLing of the starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791 with a start of the start of t		<u>—</u>	님 :	6000	15 15 15 15 15 15 15 15 15 15 15 15 15 1	501 Form 3-330	fan (care)	one one
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCLing of the starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791 with a start of the start of t	CHANGE ZONES			ت ت			္က မွား မြန္မာ	160
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCD of the state of the starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791 with a start of the start of th			口 藻	<u> </u>		onta Ona Ona		· ;
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 22-81: 1. RIH w/ gauge ring and junk basket, ran GR/CBL/VDL/CCG from 57,660 to TOC at 4680. 22-81: 2. RIH w/ mill and casing scraper. Milled to 5791 state and zone at 4680. 23-81: 3. Perforated Desert Creek Zone II at 5734 3 36', 38', 40', 42' 44' 45', 46', 50', 52', 70', 72', 5774'. Stimulated w/ 2500 gals of 28% HGG 11', 42' 50'			· =			S S T T T T T T T T T T T T T T T T T T	• = 9	≥ ⊐
50', 52', 70', 72', 5774' Stimulated w/ 2500 gals of 28% HGL 180 30-81: 4. Set RBP at 5690'. Perforated DC-I and L. Ismay at 5567, 70' 71' 11, 72', 5608', 10', 12', 13', 14, 20', 722', 24', 26', 27', 28' 12', 29'', 30' 13' 31', 32' 57', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/ 4200 gals of 2 HCL. Continued on back side. 6 93' 4 and 75' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	17. DESCRIBE PR	OPOSED OR COMPLETED	OPERATIONS (Clearly state	all pertinent o	letails, and gi	ve pertinent o	lates,
50', 52', 70', 72', 5774' Stimulated w/ 2500 gals of 28% HGL 180 30-81: 4. Set RBP at 5690'. Perforated DC-I and L. Ismay at 5567, 70' 71' 11, 72', 5608', 10', 12', 13', 14, 20', 722', 24', 26', 27', 28' 12', 29'', 30' 13' 31', 32' 57', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/ 4200 gals of 2 HCL. Continued on back side. 6 93' 4 and 75' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	measured and	true vertical depths for al	/ proposed work. Il markers and zo	nes pertinen	t to this work.)*	o, give subsul 로션뉴플		ö allu Ö
50', 52', 70', 72', 5774' Stimulated w/ 2500 gals of 28% HGL 180 30-81: 4. Set RBP at 5690'. Perforated DC-I and L. Ismay at 5567, 70' 71' 11, 72', 5608', 10', 12', 13', 14, 20', 722', 24', 26', 27', 28' 12', 29'', 30' 13' 31', 32' 57', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/ 4200 gals of 2 HCL. Continued on back side. 6 93' 4 and 75' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			<u> </u>	Ç.		101 100 C	= = = = = = = = = = = = = = = = = = =	3 54 - T00
50', 52', 70', 72', 5774' Stimulated w/ 2500 gals of 28% HGL 180 30-81: 4. Set RBP at 5690'. Perforated DC-I and L. Ismay at 5567, 70' 71' 11, 72', 5608', 10', 12', 13', 14, 20', 722', 24', 26', 27', 28' 12', 29'', 30' 13' 31', 32' 57', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/ 4200 gals of 2 HCL. Continued on back side. 6 93' 4 and 75' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-22-81: 1. R	IH w/ gauge ring	and junk ba	asket, r	an GR/CBL/	\nF\cce 2tx	om Pare	יייין סיי
50', 52', 70', 72', 5774' Stimulated w/ 2500 gals of 28% HGL 180 30-81: 4. Set RBP at 5690'. Perforated DC-I and L. Ismay at 5567, 70' 71' 11, 72', 5608', 10', 12', 13', 14, 20', 722', 24', 26', 27', 28' 12', 29'', 30' 13' 31', 32' 57', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/ 4200 gals of 2 HCL. Continued on back side. 6 93' 4 and 75' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	22 03 . 20 D	t 4680°.	Seina deman	ું દુ M:1	168 + 6 570	100 100 100 100 100 100 100 100 100 100	12, 115, 115, 115,	<u>.</u> 2
50', 52', 70', 72', 5774' Stimulated w/ 2500 gals of 28% HGL 180 30-81: 4. Set RBP at 5690'. Perforated DC-I and L. Ismay at 5567, 70' 71' 11, 72', 5608', 10', 12', 13', 14, 20', 722', 24', 26', 27', 28' 12', 29'', 30' 13' 31', 32' 57', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/ 4200 gals of 2 HCL. Continued on back side. 6 93' 4 and 75' 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	- <u>//-</u> 01:	in wy mill and Co erforated Desert	creek Zóne	irv— Mil II∷at 5	7345 C361	** 三の点点 38½か 40%	42 44	46 L
30-81: 4. Set RBP at 5690 Perforated DC-I and L. Ismay at 5567. 70 37 39, 72 3 5608 10 12 13 14, 20 122 24 , 261, 27 568 29 3 30 36 31 32 57 608 60 61 62 7 67 68 7 74 and 75 C Stimulated w/ 4200 galls of 2 HCL. Continued on back 31de 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9							8% HCL	, , 0
5608', 10', 12', 13', 14, 20', 22', 24', 26', 27', 28', 29', 30', 33', 32', 35', 60', 61', 62', 67', 68', 74' and 75'. Stimulated w/, 4200' galls of 2 HCL. Continued on back side. 93', 36', 36', 36', 36', 36', 36', 36', 3	-30-81: 4. Š	et RBP at 5690	Perforated	DC-I an	d∄L∴ Ismay	at 5567.	70*3 74	g, 72¹,
18. I hereby certify that the foregoing is true and correct SIGNED D. I. Blanscet TITLE Sr. Prod. Engineer DATE (This space for Federal or State office use) TITLE ST. Prod. DATE TITLE Space for Federal or State office use) TITLE ST. Prod. Engineer DATE TITLE Space for Federal or State office use) TITLE Space for Federal or State office use)			13',14, 20'	<u>, 221</u> , 2	41, 261, 27	7 '= -285 2 2	29 2, 3013	
18. I hereby certify that the foregoing is true and correct SIGNED D. I. Blanscet TITLE Sr. Prod. Engineer DATE (This space for Federal or State office use) TITLE ST. Prod. DATE TITLE Space for Federal or State office use) TITLE ST. Prod. Engineer DATE TITLE Space for Federal or State office use) TITLE Space for Federal or State office use)			', 67', 68'	, 74' an	a 75¹⊊ St		v/ [4200] ga	ils of 2
18. I hereby certify that the foregoing is true and correct SIGNED D. I. Blanscet TITLE Sr. Prod. Engineer DATE (This space for Federal or State office use) TITLE ST. Prod. DATE TITLE Space for Federal or State office use) TITLE ST. Prod. Engineer DATE TITLE Space for Federal or State office use) TITLE Space for Federal or State office use)	Ĥ	CL.	Ç	[명] [편] (연)			of the state of th	<u>.</u>
18. I hereby certify that the foregoing is true and correct SIGNED D. I. Blanscet TITLE Sr. Prod. Engineer DATE (This space for Federal or State office use) TITLE ST. Prod. DATE TITLE Space for Federal or State office use) TITLE ST. Prod. Engineer DATE TITLE Space for Federal or State office use) TITLE Space for Federal or State office use)			tuc.	ے ح	, <u>L</u> 56	3 to bai to t	Harrier Park	⊼ ≓
18. I hereby certify that the foregoing is true and correct SIGNED D. I. Blanscet TITLE Sr. Prod. Engineer DATE (This space for Federal or State office use) TITLE ST. PATE TITLE ST. Prod. Engineer DATE TITLE ST.		Conti		C:53AP.	, 68 d	Prior Tocas Docas	ntern te et oldr	5. 5
18. I hereby certify that the foregoing is true and correct SIGNED D. I. Blanscet TITLE Sr. Prod. Engineer DATE (This space for Federal or State office use) TITLE ST. PATE TITLE ST. Prod. Engineer DATE TITLE ST.		· · · ·	<u>. </u>	H CT		001 1001 1001 1001	Jich Jich Jich Jich Jich Jich Jich Jich	\$K
(This space for Federal or State office use)	Subsurface Safety	Valve: Manu. and Type		ć. (·	ş L -	<u>್ ಪ್</u> Set @	<u> </u>	<u></u>
(This space for Federal or State office use)	18. I hereby certify	that the foregoing is true	and correct	があって	જીવે છે-	to a series	15 th	<u>~</u>
(This space for Federal or State office use)		Plane I		rod' Ena	ineer.		20 E 8 S S S S S S S S S S S S S S S S S S	∄
APPROVED BY TITLE TO DATE CONDITIONS OF APPROVAL, IF ANY: (This space for Federal or State office use) TITLE TO DATE	SIGNED 1	Blanscet	_ TITLE ST. PI	ou _{s /} cny	DATE	5 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<u> </u>	<u> </u>
APPROVED BY CONDITIONS OF APPROVAL, IF ANY: TITLE 1 DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL, IF ANY: DATE OF LONG HER STANDS OF APPROVAL APPRO		(1	his space for Federa	al or State offi	cé use) ••	11200000000000000000000000000000000000		
CONDITIONS OF APPROVAL, IF ANY:	APPROVED BY		TITLE TO	Ę	C.	유, 작가건	7	-
Enabled transfer to the state of the state o		ROVAL, IF ANY:		1	(7 10 10 10 10 10 10 10 10 10 10 10 10 10	1000 1000 1000 1000	<u>π</u>
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			ы	- -	· -	10 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	e at the o	Į.
					3	នុង ន ្ទឹ	<u> </u>	

d reports should include reasons for the abandonment should include such special information as is required by local Federal and/or State offices. It reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and thod of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site looking to approval of the abandonment. gal indicated, on Federal and applicable State law and to local, area, or regional Drilled out cement PHATE OFFICES communicated behind POPRATURE OF THE CHERROR Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, are procedures and practices, either are shown below or wilf be issued by, or may be obtained from, the local Federal and/or State office. Federal requirements. qals SUMBAY MOTICES AND REPORTS ON M verno Pich es tica Cari regine duas 000 L, /M Cement c w/ RBP. SUFFICIOR CIL COMPARY 3. ADEREST OF CHELLICE ated with P.O. par Age and . COLTEZ, in accordance മ POH 155 4. LUCATION OF MELL INTPOPT COCATION FSL. 6921 to RBP at 5520'. 🚣 ৹হ AT TOP HESD. INTERVALSBLE íx AT TOTAL DEPTH: Same y from 5494-99' at 1 JSPF U. Ismay w/ 250 sx Class H from 5606-32! and 5656-75 18. CHECK APPROPRIATE D'IN TO CIDICATE PATURUR REPORT, OR OTHER DATA be described SUBSEQUENT REPORT REQUEST FOR APPROVAL TO. TEST NATER COUTOFF PBTD, dund FRACTULIE TREAT or Indian land should SHIDT OF ACTORE pipe to U. Ismay and DCEI. Drilled out cement to RBP at 5690 5 POH W RBP. Cleaned hole to submersible JUBN 19-1999 PULL OR ALTER PASHIC Instructions Med 1968 COMPLETE CONCL BEFARED ADANGLAS Ismay Squeezed 17. DISCRIBE AROPOSED OR COMPLETED OPERATIONS (Cleums moth size assistanted date of standard and proposed \$10. It soon measures and makes and makes and makes requirements, Jocations on Federal 5520 Therforated U. t 57001: Perforated Well flowed RIH W/ gauge ring and junk 12-11-27 at 46000' 10791 10 . 1 100 c 100 c 100 c 100 c 100 c This form is designed for submitting proposals to pursuant to applicable Federal law and regulations, Nim W/ moli end casing scored Parforated Disert Creek ZSG I S60, 521, 701, 21, 5774, 36 Set REP et 5650, Porforated & Set RBP at 5520': Perforat U. Ismay zone tested wet: proposals to 12-22-21: 12-25-81: 45V در بن ا Fertonated Disert Grants. 50', 58', 70'; 72', 5774' Set REP at 5690', Perfons 5608', 10', 12', 11', 14, . 20. 731 72 ' 12 - 30 - 81: 32¹ ز , ا Item 4: If there are no applicable State requestate or Federal office for specific instructions. 521, 28% ئانىڭ. م د ont CIEP inspection looking Combianued on contents not sealed off by cerre re plugs; amount, size, method Item 17: Proposals to abandon dition, such proposals and rep contents not sealed off by cem Ξ Subsyrfach Safety Valve: Manu. and 🗅 pe .53 18. Thereby serrify igot the force is given and or ე0<u>±3</u>**,∹**58 _{€ α} **ني** Engines In addition, such prop fluid contents not seal above plugs; amount, conditioned for final ir 1-26-82 APPROVED BY

And attached information is complete and correct as determined from all available records

Sr. Production Engineer DATE

SOLD

S5. LIST OF ATTACHMENTS

D. I. Blanscet

T. O. Berry

IN DURING

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separator reports for sparate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, submit a attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State federal office for specific instructions.

If and 18. Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 18. Indicate which elevation is used as reference (where not otherwise shown) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional and show the details of any multiple stage cementing and the location of the cementing tool. 18. Submit a separate completion report on this form for each interval produced. (See instruction for literal produced) interval in the result of the separate completion of the separate of this well is completed for second submit a separate completion report on this form for each interval.

			TRUB VERT. DEPTH	
	GEOLOGIC MARKERS	TOP	MEAS, DEPTE TRU	1567 2720 4716 5470 5558 5504 5808 58
	38. GBOLOG			Chinle DeChelly Hermosa Ismay L. Ismay Gothic Shale Desert Creek Chimney Rock
-	CORRD INTERVALS; AND ALL DRILL-BIRM TESTS, INCLUDING AND SHUT-IN PRESSURES, AND RECOVERIES	CONTENTS, ETC.		Der testen der verschieden der testen der verschieden der testen der verschieden der verschied
	•	DESCRIPTION,		Limestone, Dolomite Limestone, Dolomite SECONDARY Limestone, Dolomite
	UMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; DEPTH INTERVAL TESTED, CUSHIGN USED, TIME TOOL OPEN, FLOWING	BOTTOM		- 20
- , 4.5,	SUMMARY OF POROUS ZONES: - SHOW ALL IMPORTANT ZONES OF POR - DEPTH INTERVAL TESTED, CUSHION U	TOP		2470
	SUMMARY OF P. SHOW ALL IM. DRETH INTERV	FORMATION		Desert Creek

FORM OGC-8-X
FINLE IN QUADRUPLICATE

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

WELL NAME ε NUMBER McELMO CREEK UNIT #R-12
OPERATOR SUPERIOR OIL COMPANY
Address P.O.DRAWER "G", CORTEZ, COLORADO 81321
CONTRACTOR BAYLESS DRILLING COMPANY
Address 216 S. HILL, FARMINGTON, NEW MEXICO 87401
LOCATION SW 4; Sec. 33; T. 40 XM; R. 25 E
COUNTY SAN JUAN COUNTY, UTAH
WATER SANDS:
DEPTH VOLUME: QUALITY: From - to- Flow Rate or Head - Fresh or Salty
1.
2.
3.
ц.
5.
(Continue on Reverse Side if Necessary Set 8-5/8" surface casing to 1617' and cemented to surface. FORMATION TOPS:
NOTE: (a) Upon diminishing supply of forms, please inform this office.

(b) Report on this form as provided for in Rule C-20. General

zone, please forward a copy along with this form.

Rules and Regulations and Rules of Practice and Procedure.

(c) If a water quality analysis has been made of the above reported

March 25, 1982



Minerals Management Service P.O. Box 600 Farmington, New Mexico 87401

ATTN: MR. JAMES SIMS

DIVISION OF OIL, GAS & MINING

RE: McElmo Creek Unit R-12 SW SW Sec. 33-40S-25E San Juan County, Utah

> Sentinel Peak 27-21 NE NW Sec. 27-41S-26E San Juan County, Utah

> Navajo Tribal 34-33 NW SE Sec. 34-41S-25E San Juan County, Utah

Gentlemen:

Attached are two sets of the logs run on the above wells. We sincerely regret the delay in submitting these logs, however, we had an inter-Company breakdown in communications as to who was distributing the logs. This problem has now been corrected and you should receive all future logs in a timely manner.

We appreciate your cooperation.

Very truly yours,

The Superior Oil Company

G.' Bannantine

Regulatory Group Manager

RLH/dj

Enclosures

BCC: State of Ut (2)
Oil & Gas Conservation Com.
1588 West North Temple
Salt Lake City, Utah 84116

Navajo Tribe (1)
Minerals Division
P.O. Box 146
Window Rock, Arizona 86515

MCU R-12 Only (1)

Exxon Company, USA
P.O. Box 1600
Midland, Texas 79701
ATTN: MR. J.M. SHEPHERD

Texaco, Inc.
P.O. Box 2100
Denver, Colorado 80201
ATTN: MR. J.C. WHITE



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

April 7, 1982

Superior Oil Company P. O. Drawer "G" Cortez, Colorado 81321

> Re: Well No. McElmo Creek #R-12 Sec. 33, T. 40S, R. 25E. San Juan County, Utah

> > Well No. Sentinel Peak #27-21 Sec. 27, T. 41S, R. 26E. San Juan County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office March 4, 1982 & February 19, 1982, from above referred to wells, indicates the following electric logs were run: #R-12 - FDC/CNL, GR/CBL/VDL/CCL, #27-21- GR/FDC/CNL, GR/BHC Sonic, GR/DIL, GR/CCL/CBL/VDL. As of todays date, this office has not received these logs: #R-12- FDC/CNL, #27-21 All logs listed.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Cari Furse Clerk Typist

Mobil Oil Corporation

P.O. BOX 5444 DENVER, CC-LORAUD 80217

January 14, 1985

Utah Divison of Oil, Gas and Mining 355 W. North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

RECEIVED

FEB o

Attention: Ms. Dianne Nielson, Director

DIVISION OF OIL GAS & MINING

RE: NOTICES TO SUPERIOR OIL COMPANY

Dear Ms. Nielson:

As a result of the merger which became effective on September 28, 1984, The Superior Oil Companies ("Superior") is now a wholly owned subsidiary of Mobil Corporation.

Effective January 1, 1965 vol. 1916 competition began acting on denal complex SUPERIOR 10 A Sympatric Services on tractor, for the purpose of performing comprehensive business management and related administrative services. To this end, Superior has entered into a Services Agreement with Mobil and has issued Powers of Attorney to certain Mobil employees, whereby Mobil has agreed to perform all of Superior's obligations and duties, and shall be entitled to enforce all of Superior's rights and privileges, including but not limited to all applicable Operating Agreements and leases (see attached). This shall include, without limitation, the making and receiving of payments, the giving and receiving of notices and other information, and the performance of all other related functions. Therefore, after December 31, 1984, notices to Superior or relative to its interests, assets or obligations should designate Mobil and be mailed to:

PERMITS ONLY

Mobil Oil Corporation P.O. Box 5444 Denver, Colorado 80217-5444 Attention: R. D. Baker (303) 298-2577

RON Enclosed is a list of all Superior wells. This list includes the well names, locations, API numbers and producing zone (if applicable).

We appreciate your consideration and cooperation. If you have any questions, please direct them to the undersigned.

Very truly yours,

R. D. Baker

Environmental & Regulatory Manager - West

Enclosure

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

CNE/rd CNE8661

R. D. Baker

Environmental Regulatory Manager

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEX SUPERVISOR AREA FOR THE GREATER ARETH FIELD 05/13/86

PROPERTY NAME	WELL NariE	C0UNTY	STATE	E SEC TWASHP RAG	S T JELL A FEDERAL STA TYPE T API NUMBER LEASE NUMBER NUM 	ITE UNIT BER NUMBER
NC ELMO CREEK	P-23	SAN JUAN	3T	NU SE 17-418-25E	INJ CP 43-037-16370 14-20-603-263	96-004190
	Q-69	MAUL MAZ	UT	NE NE 32-405-25E	PROD OP 43-037-31013 14-20-603-372	96-004190
	£-10	SAN JUAN	äT	SE NE 32-408-25E	PROD OP 43-037-15973 14-20-603-372	76-0041 <i>7</i> 0
	Q-11	SAN JUAN	IJΤ	ME SE 30-465-25E	PROD OF 43-037-30282 14-26-603-372	95-004190
	Q-12	SAN JUAN	UT.	SE SE 32-408-25E	INJ OP 43-037-05720 14-20-603-372	96-004199
	Q-13	SAN JUAN	UT	NE NE 05-413-25E	PROD CP 43-037-30288 14-20-603-372	96-004190
	$\hat{\varphi} = f + \hat{\varphi}$	MALL MAZ	UT	SE HE 05-415-25E	INJ 87 43-037-15974 14-20-600-372	95-3041 9 0
	Q-15	SAN JUAN	UT	NE SE 05-415-25E	PROD OP 43-637-30290 14-20-663-372	76-004190
	Q-:5	SAN JUAN	UT	SE SE VS-413-252	INJ OP 43-037-15975 14-20-603-372	96-004(9)
	Q-17	SAN JUAN	IJŢ	NE NE 06-415-25E	PROD OP 43-037-30271 14-20-833-203	98-004190
	Q-18	HAUL KAZ	UT	SE NE 08-418-25E	PROD 8P 43-037-15521 14-29-6 03-263	96-004190
	Q-19	MAUL MAZ	UT	ME SE 08-41S-25E	PROD OF 43-037-30652 14-20-603-263	95-694190
	Q-20	SAN JUAN	IJŢ	SZ SE 08-415-25E	PROD 32 43-03 7-15522 14-20-6 03-263)a-⊍y - 1/0
	Q-21	SAN JUAN	UT	NE NE 17-415-25E	PROD OF 43-037-30463 14-20-663-263	96-864198
	Q -22	SAN JUAN	UT	SE NE 17-418-25E	PROD OP 43-037-15523 14-20-603-263	?4-∂ ∂41 90
	Q-23	MAUL MAZ	UT	SE SE 17-45-25E	PROD OP 43-637-31124	
	R-06	MAUL MAZ	UT	SU NU 28-408-25E	USW SI 43-037-05843 14-20-603-2048-A	96-004190
	R-08	HAUL MAZ	UT	SW SW 28-405-25E	PROD OP 43-037-15329 14-20-603-2648-A	96-004190
	R-09	HAUL HAZ	IJΥ	HW NW 33-408-25E	PROD OF 43-037-16147 14-20-603-2057	76-004190
	R-10	MAUL MAZ	UT	SW NW 33-408-25E	PROD OP 43-037-31121 14-20-603-2057	98-004190
	R-11	NAUL NAZ	IJ٢	NW SW 33-408-25E	INJ SI 43-037-05741 14-20-603-2057	96-404190
	R-11A	MAUL MAZ	UT	NU SU 33-403-25E	INJ CF 43-037-30179 14-20-603-2057	96-694190
	R-12	SAN JUAN	บา	SW SW 33-405-25E	PROD OP 43-037-30651 14-20-693-2057	96-004190
	R-13	MAUL MAZ	UT	NW NW 04-413-252	INJ OP 43-037-05709 14-20-603-2057	96- 0041 <i>9</i> 0
	7-14	SAN JUAN	UT	SN 科研 84-441-25E	PROD OP 43-037-30202 :4-20-603-3057	95-994190
	R-16	HAUL MAZ	UT	SW SW 04-412-25E	PROD OP 43-037-30272 14-26-603-2057	96-094190
	R-17	San Juan	UT	NU RW 89-418-153	INJ 8P 43-037-05602 :4-10-303-357	96-004190
	R-18	SAN JUAN	UT	SW NW 69-415-25E	PROD SP 43-037-30778 14-20-403-359	96 -094190
	8-17	MAUL MAZ	UT	14 SW 07-418-25E	INJ OF 43-037-05554 14-20-603-359	96-004199
	₹-20	MAUL MAZ	UT	SW SW 09-415-25E	PROD GP 43-037-30452 14-20-603-359	96-004170

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

Page 11 of 22

Telephone Number:_____

MONTHLY OIL AND GAS PRODUCTION REPORT

355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

OPERATOR NAME AND ADDRESS:		UTAH ACCOUNT NUMBER: N7370						
C/O MOBIL OIL CORP M E P N A PO DRAWER G CORTEZ CO 81321			REPORT PERIOD (MONTH/YEAR): 6 / 95 AMENDED REPORT (Highlight Changes)					
Well Name	Producing	Well	Days		Production Volumes			
API Number Entity Location	Zone	Status	Орег	OIL(BBL)	GAS(MCF)	WATER(BBL)		
MCELMO CR R-12 4303730651 05980 405 25E 33 MCELMO CREEK Q-19	DSCR							
4303730652 05980 415 25E 8 MCELMO CR V-14	IS-DC				; f			
4303730653 05980 415 25E 3 MCELMO CR T-16	DSCR							
4303730654 05980 41S 25E 4	DSCR			/				
4303730661 05980 41S 25E 17	DSCR							
MCELMO CR 0-21 4303730662 05980 415 25E 17 5LMO CR R-18	DSCR		·					
	DSCR				·			
4303730779 05980 418 25E 9 MCELMO CR S-19	DSCR	_						
4303730780 05980 41S 25E 9	DSCR							
4303730781 05980 418 25E 9 MCELMO CR U-17	DSCR					· · . · . · . · . · . · . · . · . ·		
4303730782 05980 415 25E 9 MCELMO CREEK UNIT G-24	DSCR							
4303731008 05980 41S 24E 13 MCELMO CREEK UNIT J-16A	DSCR							
4303731011 05980 41S 25E 6	DSCR							
			TOTALS					
OMMENTS:		<u> </u>						
	·····					·		
			· · ·		,,			
hc. by certify that this report is true and complete to	the best of my	knowledge.		D	ate:,			
ime and Signature:					Telephone Number:			

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

[]	Well FileRng(API No.)	_ (To - Initials) <u> </u>	XXX Other OPER NM CHG
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name)L. C		
	Name R. J. FIRTH	_ (Initiated Call XX) - P.	hone No. ()
	of (Company/Organization)		
3.	Topic of Conversation: MEP	N A / N7370	
			· .
4.	Highlights of Conversation:		
	OPERATOR NAME IS BEING CHANGED		
	NORTH AMERICA INC) TO MOBIL EXP		•
	*SUPERIOR OIL COMPANY MERGED IN		
	SULEXION OIL CONTANT REAGED IN	110 M E F M A 4-24-00 (3)	SE ATTACHED).
	NAME OF THE PROPERTY OF THE PR		
		A	
			
		A-18 A-19 A-19 A-19 A-19 A-19 A-19 A-19 A-19	

ivisio OPERAT	n of Oil, Gas and Mir FOR CHANGE HORKSH	aing IEET				Rouding:
	all documentation rec each listed item whe				,	2-LWP 8-SJ 3-PP3 9-FILE 4-VLC
J Char ⊒ Desi	nge of Operator (ignation of Opera	well sold) tor	□ Design XXX Operate	ation of Agent or Name Change	only	5-RJF 6-LWP
⊤he op	erator of the we	II(s) listed be	low has change	d (EFFECTIVE I	DATE: 8-2- 9	95
TO (ne	CORTE phone			l (former opera (addı	ress) <u>C/O MOH</u> <u>PO DRAV</u> <u>CORTEZ</u> phone (BIL OIL CORP
) (attach additional					
Name:_ Name:_ Name:_ Name:_		API: API: API: API: API:	Entit Entit Entit Entit Entit Entit	y: Sec_ y: Sec_ y: Sec_ y: Sec_ y: Sec	TwpRng_ TwpRng_ TwpRng_ TwpRng TwpRng	Lease Type:
VA 1.	operator (Attach) Sundry or or to this form).				ceived from <u>former</u>
	yes, show compan	y file number:		gracered with	the state:	/e is not currently (yes/no) If
	comments section	of this form.	m rorm to tr Management	ns report). review of Fed	Make note deral and In	arding this change of BLM status in dian well operator
	iisteu above. //	9 <i>2 45 l</i>				IBM) for each well
$\mathcal{J}_{6.}$	Cardex file has t	peen updated for	each well li	sted above. 🐔	31.95	
₽ 7. 1	Well file labels	have been updat	ted for each w	ell listed abo	ove. 9-18-9	`~
<u>ec</u> 8. (Changes have been for distribution	n included on t to State Lands	the monthly "O and the Tax C	perator, Addro	ess, and Acc <i>395)</i>	ount Changes" memo
<u>L</u> L9. 1	A folder has been placed there for	n set up for th reference durir	e Operator Ch	ange file, and processing of	d a copy of f the origina	this page has been I documents.

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/no) (If entity assignments were changed, attach copies Form 6, Entity Action Form).
NA 2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only) & No Fee Leese Wells at this time!
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by let dated 19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases .
FILMING
1. All attachments to this form have been microfilmed. Date: October 6 19 95
FILING
1. <u>Copies</u> of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operat Change file.
COMMENTS 950803 WIC F5/Not necessary!
WE71/34-35

ExxonMobil Production Compa U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

13 910 - 1 11 H: 15



United States Department of the Interior

BUREAU OF INDIANAITAIRS NAVATOREGION

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ADM
I NATVAMENICOCHO
SOLID ATH TEAM
PETROMOUT ISAM 2
O&GINSHED YEAM
ALL TEAM LEADERS
LAND RESOURCES
ENVIRONMENT
FILES

ExxonMobil Production Company U.S. West


U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

ExonMobil
Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE
BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi

ulotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060

Gallup, New Mexico 87305-1060

Δ.		١			
Ge	ΠĽ	ler	n	er	١.

The current list Corporation), o	ting of officers and director of fNew_York	ExxonMobil 0il Corporation (Nat	me of
President Vice President Secretary Treasure	F.A. Risch K.T. Koonce F.L. Reid B.A. Maher	OFFICERS Address 5959 Las Colinas Blvd. Irving, TX 7 Address 800 Bell Street Houston, TX 77002 Address 5959 Las Colinas Blvd. Irving, TX 7 Address 5959 Las Colinas Blvd. Irving, TX 75	 <u>75</u> 039
Name <u>P.A. Har</u>	wnsend her	DIRECTORS Address 5959 Las Colinas Blvd. Irving, TX 7503:	.9 .9 .9
and in th	that the above information pertact as evidenced by the records	Correa Correa Correa Correa Correa Corporation Corporation Corporation Corporation Corporation Corporation And accounts covering business for the State of <u>Utales Company</u> Company Company Corporation (Agent), Phone: <u>1 (800)927-9800</u> South Main Street, Salt Lake City, Utah 84111-2218	ration)
(CORPORATE S	EAL)	Signature AGENT AND ATTERNEY IN FACT Title	

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

D. U. Muleum Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Janice M. Phillip Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

1) 14-20-0603-6504 2) 14-20-0603-6505 3) 14-20-0603-6506 4) 14-20-0603-6508 5) 14-20-0603-6509 6) 14-20-0603-6510 7) 14-20-0603-7171 8) 14-20-0603-7172A 9) 14-20-600-3530 10) 14-20-603-359 11) 14-20-603-368 12) 14-20-603-370 13) 14-20-603-370A 14) 14-20-603-372 15) 14-20-603-372A 16) 14-20-603-4495 17) 14-20-603-5447 18) 14-20-603-5448 19) 14-20-603-5449 20) 14-20-603-5450

14-20-603-5451

21)

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

Audi VALID Into Bright, Suite 1900, Mouston, Texas, 27027-3301 Hamman (1991/227-4600) - Feinsman (713) 297-4759

NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97 wherein Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. FROM:

TO ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact





POWER OF ATTORNEY

Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertailings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secreta

STATE OF NEW JERSEY County of Somerset

On this 10th day of May, 2001

In this 10th day of May, 2001

In this 10th day of May, 2001

In the known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the Secretary of FEDERAL INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals stereof, signed said Power of Attorney are such corporate seals and were thereto affixed by aidhority of the By-Laws of said Companies; and that he Vice Passisted of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. as thereto subscribed by suthority of said the territorial interest of the presence. (180 Sep

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 29 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelmile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Lews of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/09

CSC.

06/01 '01 09:06 NO.135 02/04

F010601000.187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

ΟF

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL, OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all ourstanding shares entitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

h, President

STATE OF TEXAS
COUNTY OF DALLAS

F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true,

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS

JANICE M. PHILLIPS & NA COMMISSION EXPRES!

P. 11

CSC_.

5184334741

-06/01 01 09:01 NO.411 02/02 -01060100187

C3C 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

FILED JUN 0 1 2001

(Name)

5959 Les Colines Blvd.

(Mailing address)

BY:___

- AC

Irving, TX 75039-2298

(City, State and Zip code)

14557817PJ

OEGIVE 196 C 5 2001

010601000/95

,TEL=5184334741

06/01/01 08:19

=> CSC

State of New York }
Department of State }
ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW/ 3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	06-01-2001				
FROM: (Old Operator):		TO: (New O	perator):			
MOBIL EXPLORATION & PRODUCTION	1	EXXONMOBI		RPORATIO!	V	
Address: P O BOX DRAWER "G"	1	Address: U S V				
	1					
CORTEZ, CO 81321		HOUSTON, T	X 77210-43	58		
Phone: 1-(970)-564-5212		Phone: 1-(713)	-431-1010			
Account No. N7370	1	Account No.	N1855			
CA No.	•	Unit:	MCELMO	CREEK		
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
MCELMO CR N-12			5980	INDIAN	OW	P
MCELMO CR N-10	32-40S-25E	43-037-30304	5980	INDIAN	OW	P
MCELMO CR O-09		43-037-30356		INDIAN	OW	P
MCELMO CR Q-09	32-40S-25E	43-037-31013	5980	INDIAN	OW	P
MCELMO CR T-12	33-40S-25E	43-037-30074	5980	INDIAN	OW	P
MCELMO CR T-12A	33-40S-25E	43-037-30401	5980	INDIAN	OW	P
MCELMO CR S-11	33-40S-25E	43-037-30452	5980	INDIAN	OW	P
MCELMO CR U-11	33-40S-25E	43-037-30455	5980	INDIAN	OW	S
MCELMO CR S-08	33-40S-25E	43-037-30457	5980	INDIAN	OW	TA
MCELMO CR T-10	33-40S-25E	43-037-30460	5980	INDIAN	OW	P
MCELMO CR R-12	33-40S-25E	43-037-30651	5980	INDIAN	ow	P
MCELMO CR R-10	33-40S-25E	43-037-31121	5980	INDIAN	OW	P
MCELMO CR U-09	33-40S-25E	43-037-31122	5980	INDIAN	ow	P
MCELMO CR F-14	01-41S-24E	43-037-30255	5980	INDIAN	OW	P
MCELMO CR I-13	01-41S-24E	43-037-30257	5980	INDIAN	OW	S
MCELMO CR I-15		43-037-30361		INDIAN	OW	P
MCELMO CR H-14		43-037-30362		INDIAN	ow	P
MCELMO CR G-13	01-41S-24E	43-037-30363	5980	INDIAN	OW	P
MCELMO CR H-16	01-41S-24E	43-037-30366	5980	INDIAN	OW	P
MCELMO CR F-16	01-41S-24E	43-037-30381	5980	INDIAN	ow	P
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received	from the FOR	MFR operator	on:	06/29/2001		
 (R649-8-10) Sundry or legal documentation was received 		-	06/29/200		_	
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Datab	ase on:	04/09/2002
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	579865-014	3	
5. If NO , the operator was contacted contacted on:	N/A					

6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian		as approve BIA-06/01/0	•	nge,
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit open	erator for wells	listed on:	BIA-06/01/2001	
8.	Federal and Indian Communization Agreem The BLM or BIA has approved the operator for all wells			N/A	
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the			d UIC Form 5, Transfer of A on: N/A	Authority to Inject,
$\overline{\mathbf{p}}$	ATA ENTRY:				
1.	Changes entered in the Oil and Gas Database on:	04/22/2002			
2.	Changes have been entered on the Monthly Operator Ch	ange Spread S	Sheet on:	04/22/2002	
3.	Bond information entered in RBDMS on:	N/A			
4.	Fee wells attached to bond in RBDMS on:	N/A			
S7	ATE WELL(S) BOND VERIFICATION:				
1.	State well(s) covered by Bond Number:	<u>N/A</u>			
FF	DERAL WELL(S) BOND VERIFICATION:				
	Federal well(s) covered by Bond Number:	N/A			
IN 1.	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	80273197			
FF	E WELL(S) BOND VERIFICATION:				
1.	(R649-3-1) The NEW operator of any fee well(s) listed co	overed by Bond	Number	N/A	
	The FORMER operator has requested a release of liability The Division sent response by letter on:	from their bon N/A	d on:	N/A	
	CASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has be of their responsibility to notify all interest owners of this characteristics.	een contacted a	and informed N/A	by a letter from the Division	n
CC	MMENTS:				
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING					
1. DJJ	100				
2. CDW					

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006	i i
FROM: (Old Operator):	TO: (New Operator):		
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natura	l Resources Company	
PO Box 4358	1675 Broadway	, Suite 1950	
Houston, TX 77210-4358	Denver, CO 802	202	
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-460		
CA No.	Unit:	MC ELMO	-500
OPERATOR CHANGES DOCUMENTATION			
Enter date after each listed item is completed	T001/T0	4/21/2007	
1. (R649-8-10) Sundry or legal documentation was received from the			
2. (R649-8-10) Sundry or legal documentation was received from the		4/24/2006	
3. The new company was checked on the Department of Commerce			6/7/2006
4. Is the new operator registered in the State of Utah: YES	Business Number:	5733505-0143	
5. If NO , the operator was contacted contacted on:			
6a. (R649-9-2)Waste Management Plan has been received on:	requested		
6b. Inspections of LA PA state/fee well sites complete on:	n/a		
6c. Reports current for Production/Disposition & Sundries on:	ok		
7. Federal and Indian Lease Wells: The BLM and or the E	BIA has approved the	e merger, name change	e,
or operator change for all wells listed on Federal or Indian leases o			_not yet
8. Federal and Indian Units:			
The BLM or BIA has approved the successor of unit operator for	r wells listed on:	not yet	
9. Federal and Indian Communization Agreements ("	CA"):		
The BLM or BIA has approved the operator for all wells listed w	vithin a CA on:	n/a	
10. Charles and the contract (===)		C Form 5, Transfer of Au	thority to
Inject, for the enhanced/secondary recovery unit/project for the wa	ater disposal well(s) liste	d on: 6/12/2006	5
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	6/22/2006	dian'in 0.0 d	
2. Changes have been entered on the Monthly Operator Change Sp		6/22/2006	
3. Bond information entered in RBDMS on:4. Fee/State wells attached to bond in RBDMS on:	n/a 		
4. Fee/State wells attached to bond in RBDMS on:5. Injection Projects to new operator in RBDMS on:	6/22/2006		
6. Receipt of Acceptance of Drilling Procedures for APD/New on:			
BOND VERIFICATION:			
Federal well(s) covered by Bond Number:	n/a		
2. Indian well(s) covered by Bond Number:	PA002769		
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by	y Bond Number	n/a	
a. The FORMER operator has requested a release of liability from the	eir bond on: n/a		
The Division sent response by letter on:	n/a		
LEASE INTEREST OWNER NOTIFICATION:			
4. (R649-2-10) The FORMER operator of the fee wells has been cont		letter from the Division	
of their responsibility to notify all interest owners of this change on	: <u>n/a</u>		
COMMENTS:			
OUMINIERTO.			

STATE OF UTAH

Earlene Russell, Engineering Technician

11.

 \square

NA

SIG

(This :

(5/200

DEPAR	STATE OF UTAH	RCES			FORM 9
==::::	ON OF OIL, GAS AND MIN			OPT 03939-048686	E DESIGNATION AND SERIAL NUMBER: attached list
SUNDRY NOT	ICES AND REPORTS	ON WEL	LS		DIAN, ALLOTTEE OR TRIBE NAME: NIO Tribe
Do not use this form for proposals to drill new wells, si drill horizontal laterals. Use	ignificantly deepen existing wells below cum a APPLICATION FOR PERMIT TO DRILL fo	ant bottom-hole depl om for such proposa	h, reenter plugged wells, or to s.		or CA AGREEMENT NAME: Imo Creek Unit
1. TYPE OF WELL OIL WELL		Jnit Agreeme			NAME and NUMBER: attached list
2. NAME OF OPERATOR:	npany N2700			9. API N	UMBÉR:
Resolute Natural Resources Con 3. ADDRESS OF OPERATOR;			PHONE NUMBER:		D AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950 CITY Denve	r _{STATE} CO _{ZIP}	80202	(303) 534-4600	Grea	ater Aneth
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached	list	9" 4"		COUNTY	: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIC	NAK			STATE:	UTAH
11. CHECK APPROPRI	ATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OF	OTHER DATA
TYPE OF SUBMISSION		Т	PE OF ACTION		
NOTICE OF INTENT	CIDIZE	DEEPEN		=	REPERFORATE CURRENT FORMATION
` ' '	TER CASING ASING REPAIR	FRACTURE NEW CONS			SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON
	HANGE TO PREVIOUS PLANS	OPERATOR			TUBING REPAIR
	HANGE TUBING	PLUG AND		=	VENT OR FLARE
¬ IX	HANGE WELL NAME	PLUG BACK			WATER DISPOSAL
(Submit Original Form Only)	HANGE WELL STATUS		ON (START/RESUME)		WATER SHUT-OFF
Date of work completion:	OMMINGLE PRODUCING FORMATIONS	RECLAMAT	ON OF WELL SITE		OTHER:
	ONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION		
Effective June 1, 2006 Exxon Mo Resolute Natural Resources Cor A list of affected producing and w UIC Form 5, Transfer of Authority As of the effective date, bond cor	obil Oil Corporation resigns npany is designated as suc vater source wells is attach y to Inject.	as operator ccessor oper ned. A separa	of the McElmo Cree ator of the McElmo (ate of affected injecti	k Unit. Creek l on well	Jnit. Is is being submitted with
NAME (PLEASE PRINT) Dwight E Mallory		TITL	4/20/2006	dinator	

DIV. OF OIL, GAS & MINING

ME (PLEASE	Dwight E Mallory	TITLE	Regulatory Coordinator
NATURE _	J. t. 2115	DATE	4/20/2006
space for Si	tate use o'Ny)		
	APPROVED 6 122106		RECEIVED
0)	Division of Oil, Gas and Mining (See Instruction	ns on Reverse Side)	APR 2 4 2006

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current boltom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: UTU68930A
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: McElmo Creek
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N/855	9. API NUMBER: attached
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: Aneth
P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358 (281) 654-1936 4. LOCATION OF WELL	Arient
FOOTAGES AT SURFACE:	COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
✓ NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION 6/1/2006 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
6/1/2006 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, McElmo Creater Company. All change of operator notices should be made effective as of 7:00 A Attached please find a listing of producers and water source wells included in the transfer.	ek lease to Resolute Natural
NAME (PLEASE PRINT) Laurie Kilbride TITLE Permitting Super	visor
SIGNATURE JULIE B. Kubu DATE 4/19/2006	
2002 200 19	DECEMEN

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

APR 2 1 2006

DIV. OF OIL, GAS & MINING

McElmo Creek Unit - Producer Well List

Lease Number	2 11 6 5 3 3 3 1 3 5 1 3 5	API # 430373036000S1 430373035800S1 430373038000S1 430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373038600S1 430373038600S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1	Producing Producing Producing Producing Producing Producing Producing Producing Producing Producing Froducing Producing	Lease # 14-200-6036145 14-200-6036146 14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036508 14-200-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 2 2	40S 40S 40S 41S 41S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	SWSE NESE SWSW NESW SWSE NESE NESE NESW SWSE NESE NE	NSFoot 0643FSL 1975FSL 0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL 0100FSL	2123FEL 0318FEL 0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL 0650FEL
MCU F-12 MCU G-11 MCU G-11 MCU G-11 MCU G-11 MCU D-16 MCU E-15 MCU C-13 MCU D-14 MCU E-13 MCU D-14 MCU E-13 MCU J-08 MCU R-10 MCU R-10 MCU R-11 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-10 MCU T-10 MCU T-12 MCU T-14 MCU T-16 MCU T-14 MCU T-16 MCU J-18 MCU J-23 MCU J-23 MCU J-24 MCU K-21 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 11 6 5 3 3 3 1 3 5 1 3 5	430373036000\$1 430373035800\$1 430373035800\$1 430373038000\$1 430373038700\$1 430373038900\$1 430373038400\$1 430373038600\$1 430373038600\$1 430373038800\$1 430373045400\$1 430373020200\$1 430373027200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373045300\$1 430373045300\$1 430373045300\$1 430373045300\$1	Producing Producing Producing Producing Producing Producing Producing TA Producing SI Producing	14-200-6036145 14-200-6036146 14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036508 14-200-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 36 36 2 2 2 2 2 2 2 2 2 2 2 33 33 4	40S 40S 40S 41S 41S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	SWSE NESE SWSW NESW SWSE NESE NESW NENW SWNE NENW SWNE NENE SESE	0643FSL 1975FSL 0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	2123FEL 0318FEL 0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU F-12 MCU G-11 MCU G-11 MCU G-11 MCU D-16 MCU C-15 MCU C-13 MCU D-14 MCU D-14 MCU E-13 MCU R-10 MCU R-10 MCU R-11 MCU R-10 MCU R-12 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-23 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 11 6 5 5 3 4 3 3 9 1 1 3 5	430373035800S1 430373038000S1 430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1 430373045300S1	Producing Producing Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036508 14-200-6036510 14-20-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 36 2 2 2 2 2 2 2 2 2 2 2 33 33 4	40S 41S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	NESE SWSW NESW SWSE NESE NESW NENW SWNE NENE SESE	1975FSL 0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL 0100FSL	0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU F-12 MCU G-11 MCU D-16 MCU E-15 MCU C-13 MCU D-14 MCU E-13 MCU D-14 MCU E-13 MCU B-10 MCU R-10 MCU R-10 MCU R-11 MCU R-10 MCU R-14 MCU R-16 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-23 MCU L-18 MCU L-20	1 6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373038000\$1 430373037600\$1 430373038700\$1 430373038900\$1 430373038400\$1 430373037900\$1 430373038600\$1 430373038600\$1 430373045400\$1 430373045400\$1 430373020200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373045300\$1 430373045300\$1	Producing Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	36 36 2 2 2 2 2 2 2 2 2 2 8 33 33 4	40S 41S 41S 41S 41S 41S 41S 41S 40S 40S 40S	24E 24E 24E 24E 24E 24E 24E 24E 25E	SWSW NESW SWSE NESE NESW NENW SWNE NENE SESE	0585FSL 1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	0628FWL 1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU G-11 MCU D-16 MCU E-15 MCU C-15 MCU C-13 MCU D-14 MCU E-13 MCU B-13 MCU R-10 MCU R-10 MCU R-11 MCU R-12 MCU R-14 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-11 MCU S-13 MCU S-15 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	1 6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038600S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045300S1 430373045300S1 430373063200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-60320484 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 24E 24E 25E	NESW SWSE NESE NESW NENW SWNE NENE SESE	1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU G-11 MCU D-16 MCU E-15 MCU C-15 MCU C-13 MCU D-14 MCU E-13 MCU B-13 MCU R-10 MCU R-10 MCU R-11 MCU R-12 MCU R-14 MCU R-16 MCU R-16 MCU R-16 MCU S-11 MCU S-11 MCU S-13 MCU S-15 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	1 6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373037600S1 430373038700S1 430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038600S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045300S1 430373045300S1 430373063200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing TA Producing SI Producing	14-200-6036146 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-60320484 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 24E 24E 25E	NESW SWSE NESE NESW NENW SWNE NENE SESE	1957FSL 0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL 0100FSL	1995FWL 1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU D-16 MCU C-15 MCU C-13 MCU D-14 MCU E-13 MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-10 MCU R-11 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-11 MCU S-13 MCU T-10 MCU T-12 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-18 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-23 MCU L-18 MCU L-18	6 5 5 3 4 8 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	430373038700\$1 430373038900\$1 430373038400\$1 430373037900\$1 430373038600\$1 430373038800\$1 430373045400\$1 430373065100\$1 430373020200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373045300\$1 430373045300\$1	Producing Producing Producing TA Producing SI Producing SI Producing	14-200-6036147 14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-60320484 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 24E 24E 25E	SWSE NESE NESW NENW SWNE NENE SESE	0622FSL 1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	1773FSL 0575FEL 3206FEL 3076FEL 1856FEL 0296FEL
MCU C-15 MCU D-14 MCU E-13 MCU E-13 MCU E-13 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-18	5 5 3 4 3 3 3 3 6 1 3 5	430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045200S1 430373063200S1 430373063200S1 430373046000S1	Producing TA Producing SI Producing SI Producing	14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048/4 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 25E	NESE NESW NENW SWNE NENE SESE	1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	3206FEL 3076FEL 1856FEL 0296FEL
MCU C-15 MCU D-14 MCU E-13 MCU E-13 MCU E-13 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-14 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-18	5 5 3 4 3 3 3 3 6 1 3 5	430373038900S1 430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045200S1 430373063200S1 430373063200S1 430373046000S1	Producing TA Producing SI Producing SI Producing	14-200-6036147 14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048/4 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 2 2 2 33 33 4	41S 41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 25E	NESE NESW NENW SWNE NENE SESE	1877FSL 1765FSL 0881FNL 1884FNL 0789FNL	3206FEL 3076FEL 1856FEL 0296FEL
MCU C-15 MCU D-14 MCU E-13 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-11 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU T-14 MCU T-14 MCU T-16 MCU T-18 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-23 MCU K-23 MCU L-18 MCU L-20	5 3 4 3 3 3 0 2 4 5 1 3 5	430373038400S1 430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373063200S1 430373063200S1 430373046000S1	Producing SI Producing SI Producing	14-200-6036508 14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048/ 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 2 28 33 33 4	41S 41S 41S 41S 40S 40S	24E 24E 24E 24E 25E	NESW NENW SWNE NENE SESE	1765FSL 0881FNL 1884FNL 0789FNL	3206FEL 3076FEL 1856FEL 0296FEL 0650FEL
MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-18 MCU K-21 MCU K-23 MCU L-18 MCU L-18	3 4 3 3 3 0 2 4 4 6 1 3 5	430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing SI Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 28 33 33 4	41S 41S 41S 40S 40S 40S	24E 24E 24E 25E	NENW SWNE NENE SESE	0881FNL 1884FNL 0789FNL 0100FSL	3076FEL 1856FEL 0296FEL 0650FEL
MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-09 MCU U-13 MCU U-13 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-14 MCU U-15 MCU U-15 MCU U-14 MCU U-15 MCU U-18 MCU K-21 MCU K-23 MCU L-18 MCU L-18	3 4 3 3 3 0 2 4 4 6 1 3 5	430373037900S1 430373038600S1 430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373045200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing SI Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-200-6036509 14-200-6036510 14-200-6036510 14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 2 28 33 33 4	41S 41S 41S 40S 40S 40S	24E 24E 24E 25E	NENW SWNE NENE SESE	0881FNL 1884FNL 0789FNL 0100FSL	3076FEL 1856FEL 0296FEL 0650FEL
MCU D-14 MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	4 3 3 0 2 4 4 6 1 3 5	430373038600\$1 430373038800\$1 430373045400\$1 430373112100\$1 430373065100\$1 430373020200\$1 430373027200\$1 430373045200\$1 430373045200\$1 430373045300\$1 430373063200\$1 430373046000\$1	Producing SI Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6036510 14-20-6036510 14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 2 28 33 33 4	41S 41S 40S 40S 40S	24E 24E 25E	SWNE NENE SESE	1884FNL 0789FNL 0100FSL	1856FEL 0296FEL 0650FEL
MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU J-18 MCU J-22 MCU J-23 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	3 3 0 2 4 5 1 3 5	430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 28 33 33 4	40S 40S 40S	24E 25E 25E	NENE SESE	0789FNL 0100FSL	0296FEL 0650FEL
MCU E-13 MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU J-18 MCU J-22 MCU J-23 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	3 3 0 2 4 5 1 3 5	430373038800S1 430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	2 28 33 33 4	40S 40S 40S	24E 25E 25E	NENE SESE	0789FNL 0100FSL	0296FEL 0650FEL
MCU U-08 MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12A MCU T-14 MCU U-09 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU W-14 MCU J-18 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU L-18 MCU L-18	3 0 2 4 5 1 3 5	430373045400S1 430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing SI Producing Producing Producing Producing Producing Producing Producing Producing	14-20-6032048A 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	28 33 33 4	40S 40S 40S	25E 25E	SESE	0100FSL	0650FEL
MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20) 2 4 6 1 3	430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	SI Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 33 4	40S 40S	25E			
MCU R-10 MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-16 MCU U-17 MCU U-17 MCU U-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20) 2 4 6 1 3	430373112100S1 430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045200S1 430373063200S1 430373046000S1	SI Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 33 4	40S 40S	25E			
MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 4 5 1 3	430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 4	40S		SWNW	2326ENII	0633E/MI
MCU R-12 MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-14 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU U-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	2 4 5 1 3	430373065100S1 430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	33 4	40S		- T T I T T T	ILULUI INL	IUUSZEVYL
MCU R-14 MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12A MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-14 MCU J-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	1 5 1 3 5	430373020200S1 430373027200S1 430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing Producing	14-20-6032057 14-20-6032057 14-20-6032057 14-20-6032057	4		ZOE	swsw	0692FSL	0339FWL
MCU R-16 MCU S-11 MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-12A MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	6 	430373045200S1 430373045300S1 430373063200S1 430373046000S1	Producing Producing Producing Producing	14-20-6032057 14-20-6032057	-1	418		SWNW	2030FNL	0560FWL
MCU S-13 MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	3	430373045300S1 430373063200S1 430373046000S1	Producing Producing	14-20-6032057		41S	25E	swsw	0656FSL	0505FWL
MCU S-15 MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20	5	430373063200S1 430373046000S1	Producing		33			NESW	1928FSL	1731FWL
MCU T-10 MCU T-12 MCU T-12 MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU U-15 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373046000S1		14/1/20 6022067	4			NENW	0761FNL	1837FWL
MCU T-12 MCU T-12A MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-21 MCU K-23 MCU L-18 MCU L-20)		Producing	14-20-6032057	4			NESW	1854FSL	1622FWL
MCU T-12A MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		140007000740004	I a company	14-20-6032057	33			SWNE	1931FNL	1793FEL
MCU T-14 MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373007400S1	Producing	14-20-6032057	33			NWSE	1940FSL	1960FEL
MCU T-16 MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373040100S1 430373045900S1	Producing Producing	14-20-6032057 14-20-6032057	33			SWSE SWNE	0590FSL 1922FNL	2007FEL 1903FEL
MCU U-09 MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373065400S1	Producing	14-20-6032057	4			SWSE	0630FSL	2030FEL
MCU U-13 MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373112200\$1	Producing	14-20-6032057	33			NENE	1019FNL	0526FEL
MCU U-15 MCU V-14 MCU J-18 MCU J-20 MCU J-23 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373045600S1	Producing	14-20-6032057	4			NENE	0700FNL	0700FEL
MCU J-18 MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373063300S1	Producing	14-20-6032057	4			NESE	1798FSL	0706FEL
MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373065300S1	SI	14-20-6032057	3	418	25E	SWNW	2091FNL	0322FWL
MCU J-20 MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20										
MCU J-22 MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373031800S1	Producing	14-20-603263	7			SWNW	1823FNL	0663FWL
MCU J-23 MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373030600S1	Producing	14-20-603263	7			SWSW	0819FSL	0577FWL
MCU J-24 MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373034100S1 430371550000S1	Producing Producing	14-20-603263 14-20-603263	18 18			SWNW NWSW	1977FNL 1980FSL	0515FWL 0575FWL
MCU K-17 MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430371330000S1	Producing	14-20-603263				SWSW	0675FSL	0575FWL
MCU K-19 MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373032800S1	Producing	14-20-603263	7			NENW	0763FNL	1898FWL
MCU K-21 MCU K-23 MCU L-18 MCU L-20		430373032700S1	Producing	14-20-603263	7			NESW	1999FSL	1807FWL
MCU L-18 MCU L-20		430373030200S1	Producing	14-20-603263	18			NENW	0738FNL	1735FWL
MCU L-20	3	430373033600S1	Producing	14-20-603263	18	41S	25E	NESW	1833FSL	1823FWL
			Producing	14-20-603263	7			SWNE	1950FNL	1959FEL
IMCU 11-22		430373031300S1	Producing	14-20-603263	7			SWSE	0312FSL	1560FEL
		430373034700S1	Producing	14-20-603263	18			NWSE	2844FSL	2140FEL
MCU L-24 MCU M-17		430373033900S1 430373031400S1	SI	14-20-603263 14-20-603263	18 7			SWSE NENE	1980FNL 0454FNL	1980FEL 1031FEL
MCU M-17 MCU M-19		1	Producing Producing	14-20-603263	7			NESE	2012FSL	0772FEL
MCU M-21	a 1	430373030700S1	Producing	14-20-603263	18			NENE	0919FNL	0463FEL
MCU M-22		43037353535031 430371551200S1	Producing	14-20-603263	18			SENE	1720FNL	0500FEL
MCU M-23	1	430373033800S1	Producing	14-20-603263	18			NESE	1890FSL	4214FWL
MCU M-24	2	430371551300S1	Producing	14-20-603263	18	418	25E	SESE	0500FSL	0820FEL
MCU N-18	1 2 3	430373028600S1	Producing	14-20-603263	8	41S	25E	SWNW	1779FNL	0573FWL
MCU N-20	1 2 3 4	430373026900S1	Producing	14-20-603263	8			SWSW	0620FSL	0634FWL
MCU N-22	1 2 3 4 3	430373066100S1	SI	14-20-603263	17			SWNW	1763FNL	0730FWL
MCU 0-17	1 2 3 4 3 0	14:40:4 / 30つりの0000で4 - '	Producing	14-20-603263	8			NENW	0627FNL	1855FWL
MCU 0-19	1 2 3 4 3 0		Producing	14-20-603263	8			NESW	1932FSL	2020FWL
MCU O-20 MCU O-21	1 2 3 4 3 0	430373027000S1	Producing Producing	14-20-603263 14-20-603263	8 17			SESW NENW	0660FSL 0796FNL	1980FWL 1868FWL
MCU 0-21	1 2 3 4 3 0 2 7	430373027000S1 430371551800S1		14-20-603263	17			SENW	1840FNL	1928FWL
MCU 0-22A	1 2 3 4 3 0 1 7 9	430373027000S1	Producing	14-20-603263	_	415			2276FSL	1966FWL

McElmo Creek Unit - Producer Well List

		770			ľ			Locat	ion	
Lease	Number	API#	Status	Lease #	Sec	Τ	R	QTR/QTR	NSFoot	EWFoot
MCU	P-18	430373026700S1	Producing	14-20-603263	8	415	25E	SWNE	1816FNL	1855FEL
MCU	P-22	430373050600S1	Producing	14-20-603263	17			SWNE	2035FNL	2135FEL
MCU	Q-17	430373027100S1	SI	14-20-603263	8	41S		NENE	0714FNL	0286FEL
MCU	Q-18	430371552100S1	SI	14-20-603263	8			SENE	1980FNL	0660FEL
MCU	Q-19	430373065200S1	SI	14-20-603263	8	41S		NESE	1957FSL	0899FEL
MCU	Q-20	430371552200S1	SI	14-20-603263	8			SESE	0650FSL	0740FEL
MCU	Q-21	430373046300S1	Producing	14-20-603263	17	41S		NENE	0730FNL	0780FEL
MCU	Q-23	430373112400S1	SI	14-20-603263	17	41S	25E	NESE	2501FSL	0581FEL
MCU	J-25	430371550100S1	SI	14-20-603264	19	41S	25E	NWNW	0750FNL	0695FWL
MCU	K-25	430373118600S1	Producing	14-20-603264	19	41S		NENW	0440FNL	1780FWL
555555555	1	3888			52				1000	
MCU	R-18	430373077800S1	Producing	14-20-603359	9			SWNW	1808FNL	0513FWL
MCU	S-17	430373077900S1	Producing	14-20-603359	9	418		NENW	700FNL	1899FWL
MCU	S-18	430371597800S1	Producing	14-20-603359	9			SENW	1943FNL	1910FWL
MCU	S-19	430373078000S1	Producing	14-20-603359	9			NESW	3391FNL	2340FWL
MCU	S-22	430371598000S1	Producing	14-20-603359	16			SENW	1980FNL	1980FWL
MCU	T-18	430373078100S1	Producing	14-20-603359	9			SWNE	1774FNL	3499FWL
MCU	U-17	430373078200S1	Producing	14-20-603359	9	415		NENE	0625FNL	4399FWL
MCU	U-18	430371598200S1	Producing	14-20-603359	9	415	25E	SENE	2048FNL	0805FEL
MCU	F-22	430371594700S1	Producing	14-20-603370	13			SWNW	1800FNL	0664FWL
MCU	G-22	430373120400S1	TA	14-20-603370	13	41S		SENW	1910FNL	2051FWL
MCU	G-24	430373100800S1	Producing	14-20-603370	13			SESW	0458FSL	2540FWL
MCU	H-21	430373119200S1	Producing	14-20-603370	13			NWNE	0715FNL	2161FEL
MCU	H-22	430371595000S1	Producing	14-20-603370	13			SWNE	1980FNL	1980FEL
MCU	H-23	430373119300S1	Producing	14-20-603370	13			NWSE	2178FSL	1777FEL
MCU	H-24	430371595100S1	TA	14-20-603370	13			SWSE	1820FSL	0500FEL
MCU	H-26	430371595200S1	Producing	14-20-603370	24			SWNE	2053FNL	2077FEL
MCU	I-21	430371595300S1	SI	14-20-603370	13			NENE	0810FNL	0660FEL
MCU	1-22	430373118700S1	Producing	14-20-603370	13			SENE	1975FNL	0700FEL
MCU	1-24	430373018000S1	Producing	14-20-603370	13	415	24E	SESE	0660FSL	0250FEL
MCU	I-16B	430373041700S1	Producing	14-20-603372	6	41S	25E	NWSW	1442FSL	0040FWL
MCU	J-12	430373034200S1	Producing	14-20-603372	31	40S	25E	SWSW	0631FSL	0495FWL
MCU	J-14	430373032100S1	Producing	14-20-603372	6	41S		SWNW	1822FNL	0543FWL
MCU	J-15B	430373041400S1	Producing	14-20-603372	6	418	25E	NWSW	2679FNL	1299FWL
MCU	J-16A	430373101100S1	Producing	14-20-603372	6	41S	25E	swsw	0601FSL	0524FWL
MCU	K-11	430373035900S1	Producing	14-20-603372	31	40S		NESW	1803FSL	1887FWL
MCU	K-13	430373033700S1	Producing	14-20-603372	6			NENW	0935FNL	2132FWL
MCU	K-15	430373032600S1	Producing	14-20-603372	6			NESW	1920FSL	1950FWL
MCU	L-12	430373004000S1	Producing	14-20-603372	31			SWSE	0100FSL	1700FEL
MCU	L-14	430373032300S1	SI	14-20-603372	6			SWNE	1955FNL	1821FEL
MCU	L-16	430373032400S1	SI	14-20-603372	6	415	25E	SESW	0642FSL	1788FEL
MCU	M-11	430373035400S1	Producing	14-20-603372	31			NESE	2028FSL	0535FEL
MCU	M-12B	430373041600S1	Producing	14-20-603372	31			SESE	1230FSL	0057FEL
MCU	M-13	430373032000S1	Producing	14-20-603372	6			NENE	0897FNL	0402FEL
MCU	M-15	430373031500S1	Producing	14-20-603372	6			NESE	1927FSL	0377FEL
MCU	N-10	430373030400S1	Producing	14-20-603372	32			SWNW	3280FSL	0360FWL
MCU	N-12	430373029100S1	SI	14-20-603372	32			SWSW SWNW	1266FSL 2053FNL	1038FWL 0767FWL
MCU	N-14	430373028100S1	SI	14-20-603372	5			SWSW	0665FSL	0788FWL
MCU	N-16	430373027700S1	SI	14-20-603372	32			NENW	0604FNL	1980FWL
MCU	0-09	430373035600S1	Producing	14-20-603372	_			NESW	2094FSL	1884FWL
MCU	0-11	430373028200S1	Producing	14-20-603372	32 5			NENW	0562FNL	2200FWL
MCU	0-13	430373028000S1	Producing SI	14-20-603372 14-20-603372	5			NESW	2017FSL	2054FWL
MCU	O-15	430373027500S1		14-20-603372	32			SWNE	3328FSL	1890FEL
MCU MCU	P-10 P-14	430373028401S1 430373027600S1	Producing TA	14-20-603372	5			SWNE	1947FNL	1852FEL
MCU	P-14 P-16	430373027600S1	Producing	14-20-603372	5			SWSE	0680FSL	1865FEL
MCU	Q-09	430373028700S1	Producing	14-20-603372	32			NENE	0753FNL	0574FEL
IVICU				14-20-603372	32			NESE	2027FSL	0868FEL
MCH	1()~11	14.3(1.37,31120.3(111.3)	1Promicion	4-ZU-DU.3.37 /	1 .7/			INESE		
MCU MCU	Q-11 Q-13	430373028300S1 430373028800S1	Producing Producing	14-20-603372	5			NENE	0699FNL	0760FEL

McElmo Creek Unit - Producer Well List

				÷ i	Location					
Lease	Number	API#	Status	Lease #	Sec	Τ	R	QTR/QTR	NSFoot	EWFoot
			1							
11011	 	40007000550004	 	14.00.0004000		440	045	OVA/NUA/	00445511	0744534
MCU	F-14	430373025500S1	Producing	14-20-6034032	1	415		SWNW	2041FNL	0741FWL
MCU	F-16	430373038100S1	Producing	14-20-6034032	1	415	_	SWSW	0813FSL	0339FWL
MCU	G-13	430373036300S1	Producing	14-20-6034032	1			NENW	0656FNL	1999FWL
MCU	H-14	430373036200S1	Producing	14-20-6034032	_1_			SWNE	1937FNL	2071FEL
MCU	I-13	430373025700S1	Producing	14-20-6034032	1	41S	24E	NENE	0624FNL	0624FEL
MCU	E-17	430373039000S1	SI	14-20-6034039	11	41S	24F	NENE	0713FNL	0661FEL
MCU	G-17	430373037800S1	Producing	14-20-6034039	12	418		NENW	0649FNL	1904FWL
MCU	H-16	430373036600S1	Producing	14-20-6034039	1			SWSE	0923FSL	1974FEL
MCU	H-17B	430373041500S1	Si	14-20-6034039	1			SESE	0105FSL	1250FEL
MCU	I-15	430373036100S1	Producing	14-20-6034039	1			NESE	1895FSL	0601FEL
MCU	I-17	430373036700S1	Producing	14-20-6034039	12	418	_	NENE	0646FNL	0493FEL
MCO	1-17	43037303070031	Froducing	14-20-0034039	12	413	ZTL	INCINC	00401141	04931 LL
MCU	G-18B	430373039900S1	Producing	14-20-6034495	12	415	24E	NWNE	1332FNL	2605FEL
MCU	H-18	430373036400S1	SI	14-20-6034495	12	418	24E	SWNE	1922FNL	1942FEL
MCU	I-19	430373036500S1	Producing	14-20-6034495	12	418	24E	NESE	2060FSL	0473FEL
		40007000500004		44.00.0005447	44	440	0.45	OVACAUE	20005111	2000551
MCU	D-18	430373025600S1	Producing	14-20-6035447	11	415		SWNE	2380FNL	2000FEL
MCU	E-18	430371570600S1	Producing	14-20-6035447	11	415		SENE	1600FNL	0660FEL
MCU	F-18	430372018400S1	Producing	14-20-6035447	12	415	24E	SWNW	1820FSL	2140FEL
MCU	C-17	430373038500S1	TA	14-20-6035448	11	41S	24E	NENW	0182FNL	3144FEL
MCU	C-19	430371570300S1	Producing	14-20-6035448	11	41S	24E	NESW	1980FSL	2060FWL
14011	F 00	42027457070004	Τ.	14 20 6025450	10	41S	245	SWSW	0510FSL	0510FWL
MCU	F-20	430371570700S1	TA	14-20-6035450	12		-			
MCU	G-20	430373118800S1	SI	14-20-6035450	12	418	24E	SESW	0250FSL	1820FWL
MCU	H-19	430372030400S1	Producing	14-20-6035451	12	41S	24E	NWSE	2035FSL	1900FEL
MCU	H-20	430371570800S1	SI	14-20-6035451	12	41S	24E	SWSE	0300FSL	2200FEL
MCU	N-08	430373101200S1	Broducina	I-149-IND8839	29	406	25E	swsw	0700FSL	0699FWL
MCU MCU		430373101200S1	Producing SI	I-149-IND8839	29	40S		SESW	0750FSL	2030FWL
MCU MCU	O-08 P-08	430371614600S1	SI	I-149-IND8839	29	40S		SWSE	0765FSL	3170FWL
MCU	IF-U8	43037303330081	31	1-149-IND0039	29	403	ZUE	SVVSE	U/USFSL	STOFWL
мси	P-12	430373027800S1	SI	NOG-99041326	32	40S	25E	SWSE	758FSL	2237FEL
	1									

Water S	Source We	lls (Feb 2006)	
MCU	2	4303712715	Active
MCU	3	4303712716	Active
MCU	4	4303712717	Active
MCU	5	4303712718	Active
MCU	6	4303712719	Active
MCU	7	4303712720	Active
MCU	8	4303712721	Active
MCU	9	4303712722	Active
MCU	10	4303712723	Active
MCU	11	4303712724	Active
MCU	12		Inactive
MCU	13	4303712726	Active
MCU	14	4303712727	Active
MCU	15	4303712728	Active
MCU	16	4303712729	Active
MCU	17	4303712730	Active
MCU	18	4303767001	Active
MCU	19	4303712732	Active
MCU	20	4303712733	Active
MCU	21	4303712734	Active
MCU	PIT1	4303700297	Active

	FORM 9				
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-2057				
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO				
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: MCELMO CREEK				
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: MCELMO CR R-12				
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	9. API NUMBER: 43037306510000				
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950,	Denver, CO, 80202	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0692 FSL 0339 FWL	COUNTY: SAN JUAN				
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWSW Section:	STATE: UTAH				
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR		
✓ NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
9/3/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:					
Date of Spud.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
	▼ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL ☐		
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
Resolute proposes well to improve pro	completed operations. Clearly shows to repair the rods, tubing a oduction. Attached is propoms. Work is expected to co	and BHA on the subject sed procedure and well	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 18, 2013		
NAME (PLEASE PRINT)	PHONE NUM				
Sherry Glass	303 573-4886	Sr Regulatory Technician			
SIGNATURE N/A		DATE 9/3/2013			

Sundry Number: 41949 API Well Number: 43037306510000



MCU R-12 692 FSL, 339 FWL SWSW sec, 33-T40S-R25E 43-037-30651 Parted Rods Repair

Job Scope

Job Scope includes: Fish parted rods, Inspect rods. Pull & LD Tubing. PU & TBIH with new tbg & BHA, pump and rods. Replace rods per inspection.

Procedure

- 1. MIRU WSU, LOTO,
- 2. Pressure test tubing to 1000 psig (plan to pull tubing regardless, is 2 year old YB).
- 3. Kill well as necessary.
- 4. POOH with rods and pump, fish parted rods as required. Stand back rods in derrick. Call and notify Bill Albert (970) 371-9682 for inspection. If unavailable, contact Tech Support (Virgil Holly (435) 444-0020, or Julius Claw (435) 444-0156. Replace or re-run rods per inspection results.
- 5. NU BOPE & prepare to pull tubing.
- 6. Release the TAC @ 5486' KB. Install a packer & pressure test BOPE. LD packer.
- 7. Pick up extra joints & tag to check for fill. Current EOT 5617.6' KB vs PBD at 5700'.
- 8. If necessary, RIH with bit & perform nitrogen cleanout w/Global.
- 9. POH laying down tubing, to be sent for inspection.
- 10. Call & notify Bill Albert to inspect tubing. If unavail. contact Virgil Holly or Julius Claw.
- 11. Tubing to be replaced with new 2-7/8" J-55 seamless, normalized after upset.
- 12. RIH 2-7/8 x 41' SMA (attachment), CSN, 3-1/2" Blast Jt, 4 jts tubing, TAC, and 2-7/8" tbg to surface.
- 13. Land tbg w/EOT at ~5660', about 42' deeper than before; SN @ ~ 5619', TAC ~ 5462'.
- 14. NDBOP, NUWH.
- 15. RIH with rods, new 2" pump, new polish rod. Contact Tech Support for pump and rod details.
- 16. Long stroke pump to test for good pumping action.
- 17. Leave enough polished rod for operators to correctly space pump as required.
- 18. Notify the Area Production Supervisor Terence Lee at (435) 619-7237 that well is ready to return to production.
- 19. RDMOL. Hook up appropriate chemical treatment.

Sundry Number: 41949 API Well Number: 43037306510000

